



GARDEN

GAS HEATERS • FIRE PITS • BIOETHANOL FIREPLACES

www.kratki.com



TABLE OF CONTENTS






GAS HEATERS
STR. 06-25



GAS FIRE PITS
STR. 26-31



BIOETHANOL FIREPLACES
STR. 32-41



BIO-CONTAINERS
STR. 44-49



FIRE PITS
STR. 50-57



GRILLS
STR. 58-59




Markings



Nominal output (kW)




Heating power range (kW)




Fuel consumption (l / h)




Manual / automatic control




Additional option with grate



Bio-container capacity



Manufacturing material




Weight (kg)



Max. burning time (min.)
(depends on setting)



Gas type



Portability



Flame line length (mm)

Discover

a new definition of
relaxation under the
stars

Enjoy a spectacular view of natural fire thanks to solutions you can install in an instant. Their huge design potential will allow you to create a cozy haven on the terrace, turning every meeting into a unique event.



GAS HEATERS

are stylish outdoor heaters that provide heat and light wherever we want to create a unique and cozy atmosphere. Their unique feature is a flame visible from four sides. Thanks to this, it is a one-of-a-kind gas patio or garden lamp.







gas heaters

PATIO



4.0 - 8.2

<kW<

63

kg

wheels



manual,
automatic



*quartz sinter,
painted steel, lacobel



propan, propan-butan
cylinder 11 kg



30h



Finish material

PATIO VIDEO



Quartz
sinter Oxide
Moro



Quartz
sinter Nero
Assoluto



Quartz sinter
Naturali Pietra
Di Savoia Grigia



Lacobel
black



Lacobel
white



Steel
black



Product features

- Bearing-mounted swivel wheels (360°) with a lock and convenient carrying handles ensure full mobility of Patio.
- The gas cylinder compartment allows easy and convenient storage of a gas cylinder up to 11 kg inside the unit.
- 5 glass panes, upper section finished with glass
- Gas: propane, propane-butane.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.

Safety

- Tip-over valve – if the unit tips over, the valve automatically cuts off the gas supply to the controller, extinguishing the flame. The device emits neither sound nor odor. Its operation does not disturb air circulation.
- Thermocouple sensor – shuts off the gas if the heater flame is blown out and also blocks ignition when the burner is hot.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.

gas heaters

PATIO MINI

PATIO MINI



4.0 - 8.2

<kW<

64

kg

wheels

manual,
automatic

*quartz sinter,
painted steel, lacobel

propan, propan-butan
cylinder 11 kg

30h

Finish material



Quartz
sinter Oxide
Moro



Quartz
sinter Nero
Assoluto



Quartz sinter
Naturali Pietra
Di Savoia Grigia



Lacobel
black



Lacobel
white



Steel
black

PATIO VIDEO



Product features

- Bearing-mounted swivel wheels (360°) with a lock and convenient carrying handles ensure full mobility of Patio.
- The gas cylinder compartment allows easy and convenient storage of a gas cylinder up to 11 kg inside the unit.
- 5 glass panes, upper section finished with glass
- Gas: propane, propane-butane.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.

Safety

- Tip-over valve – if the unit tips over, the valve automatically cuts off the gas supply to the controller, extinguishing the flame. The device emits neither sound nor odor. Its operation does not disturb air circulation.
- Thermocouple sensor – shuts off the gas if the heater flame is blown out and also blocks ignition when the burner is hot.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.

gas heaters

PATIO SLIM

PATIO SLIM



4.0 - 8.2



45



handles



manual



painted steel



propan, propan-butan
cylinder 11 kg



30h



Finish material



Steel
black



Steel
white

PATIO VIDEO



Product features

- Convenient carrying handles ensure full mobility of Patio. You can easily place the heater where you want, and using metal adjustable leveling feet you can level the unit even on uneven ground.
- The gas cylinder compartment allows easy and convenient storage of a gas cylinder up to 11 kg inside the unit.
- 5 glass panes, upper section finished with glass
- Gas: propane, propane-butane.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.

Safety

- Tip-over valve – if the unit tips over, the valve automatically cuts off the gas supply to the controller, extinguishing the flame.
- Thermocouple sensor – shuts off the gas if the heater flame is blown out and also blocks ignition when the burner is hot.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.

gas heaters

PATIO SLC

PATIO SLC



4.0 - 8.2



29



handles, wheels



manual



painted steel



propan, propan-butan
cylinder 11 kg



30h



Finish material



Steel
black



Steel
white



Steel
granito

PATIO/SLC VIDEO



Product features

- Bearing-mounted swivel wheels (360°) with a lock and convenient carrying handles ensure full mobility of Patio.
- The gas cylinder compartment allows easy and convenient storage of a gas cylinder up to 11 kg inside the unit.
- Gas: propane, propane-butane.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.

Safety

- Tip-over valve – if the unit tips over, the valve automatically cuts off the gas supply to the controller, extinguishing the flame. The device emits neither sound nor odor. Its operation does not disturb air circulation.
- Thermocouple sensor – shuts off the gas if the heater flame is blown out and also blocks ignition when the burner is hot.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.

gas heaters

PATIO HORIZONTAL



10.5 - 17.5

<kW>

65.6

kg

manual,
automatic



painted steel



propan, propan-butan



10h



Finish material



Steel
black

PATIO/HORIZ VIDEO



Product features

- Adjustable leveling feet with a double-sided screw mount, equipped with a hinged tilting base. They prevent damage and scratching of the surface; maximum load capacity of a single foot: 400 kg.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.
- The lower chamber of the unit is protected against unauthorized opening thanks to a lock installed in the door.
- Controller – the device can be protected against unauthorized switching on by children, or its on/off can be programmed for a specific time and day.
- Gas: propane, propane-butane.

Safety

- Thermocouple sensor – shuts off the gas if the heater flame is blown out and also blocks ignition when the burner is hot.
- The unit is equipped with a factory-installed 2 m gas hose terminated with a gas pressure regulator with a left-hand thread.

PATIO



63



wheels



manual,
automatic



painted steel, lacobel,
quartz sinter



propan, propan-butan
cylinder 11 kg



30h



PATIO MINI



64



wheels



manual,
automatic



painted steel, lacobel,
quartz sinter



propan, propan-butan
cylinder 11 kg



30h



PATIO SLIM



44



handles



manual



painted steel



propan, propan-butan
cylinder 11 kg



30h

PATIO SLC



29



handles, wheels



manual



painted steel



propan, propan-butan
cylinder 11 kg




30h



gas heaters

UMBRELLA

UMBRELLA



3.9 - 12.0

<kW>

48

kg

handles



manual



painted steel



propan, propan-butan
cylinder 11 kg



17h



Finish material

UMBRELLA VIDEO



Steel
black



Steel
white



Product features

- Convenient carrying handles ensure full mobility of Umbrella. You can easily place the heater where you want, and using metal adjustable leveling feet you can level the unit even on uneven ground.
- The gas cylinder compartment allows easy and convenient storage of a gas cylinder up to 11 kg inside the unit.
- 4 glass panes – the heater design guarantees protection of the burning flame against wind.
- Gas: propane, propane-butane.

Safety

- Tip-over valve – if the unit tips over, the valve automatically cuts off the gas supply to the controller, extinguishing the flame.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.

gas heaters

AQF SIERRA



3.7 - 11.5

<kW>

63



manual



painted steel



propan, propan-butan
cylinder 11 kg



13h




Finish material



Steel
black

AQF/02/SIERRA VIDEO



Product features

- Space for the cylinder and access to manual control.
- Gas: propane, propane-butane.
- Cylinder: the heater operates on an 11 kg gas cylinder with a collar and is equipped with a gas regulator and hose.
- The AQF gas burner can be built into a custom-made enclosure. It also works perfectly when built into a countertop, table, torch, gas bowl or box-type enclosure.
- Personalization option – add ceramic logs or decorative stones and give the unit a unique look.

Safety

- Installing a tip-over safety valve in the heater (integrated with the applied control automation) increases user safety. In the event of uncontrolled tipping of the device or the flame going out, the gas is automatically cut off and the flame is extinguished. The device emits neither sound nor odor. Its operation does not disturb air circulation.
- Gas pressure regulator and hose for connecting the gas cylinder are installed in the heater.





PATIO



UMBRELLA



PATIO/SLC




UMBRELLA/BS

BUILT-IN

burners

AQF/01



3.7 - 11.5

<kW>

7



manual



painted steel




propan, propan-butan



13h



A Q F / 0 2



3.7 - 11.5



8.5



manual



painted steel



propan, propan-butan



13h



A Q F / 0 3



3.7 - 11.5



10.5



manual



painted steel



propan, propan-butan



13h



A Q F / 0 4



3.7 - 11.5

<kW<

10.5



manual



painted steel




propan, propan-butan



13h



A Q F / 0 5



3.7 - 11.5

<kW<

13



manual



painted steel




propan, propan-butan



13h



AQF/06



3.7 - 11.5



12.5



manual



painted steel



propan, propan-butan



13h



AQF/07



3.7 - 11.5



16



manual



painted steel



propan, propan-butan



13h








AQF/04



AQF/06



AQF/03



AQF/01

bioethanol

FIREPLACES

BIOMISA/TUV



	BIOMISA	BIOMISA/MINI
kW	3.3	1.5
kg	10.4	3.8
l	0.5 l	0.2 l
min.	60 min.	50 min.
l	0.52	0.24
	250	150

Finishing versions:




painting steel

Dimensions (mm):

BIOMISA/TUV: 717x171x400
BIOMISA/MINI/TUV: 470x124x260

ECHO



kW	1.5
kg	7.8
l	0.2 l
min.	50 min.
l	0.24
	150


Finishing versions:



painting steel

Dimensions (mm):
ECHO: 500x290.6x162

GALINA/TUV




Finishing versions:

painted steel,
 glass

	1
	3.8
	0.3 l
	85 min.
	0.17
	130

Dimensions (mm):
 GALINA/TUV: 354x218x180

HOTEL/TUV



Finishing versions:

painted steel, glass

	HOTEL	HOTEL/MINI
	3.3	1.5
	17	5.7
	0.5 l	0.2 l
	60 min.	50 min.
	0.52	0.24
	250	150

Dimensions (mm):
 HOTEL/TUV: 700x400x334
 HOTEL/MINI/TUV: 390x252x234



	INDIA	INDIA MINI	INDIA MAX
kW	3.3	1.5	4
kg	4	2	6.6
l	0.5 l	0.2 l	0.75 l
min.	60 min.	50 min.	72 min.
	0.52	0.24	0.63
	250	150	350

Finishing versions:



painted steel


Dimensions (mm):

INDIA/TUV: 490x85x215
INDIA/MINI/TUV: 340x70x155
INDIA/MAX/TUV: 670x100x274



TANGO/1/TUV

RIBO



	2
	6.42
	0.65 l
	120 min.
	0.32
	Ø 95

Finishing versions:



printed steel

Dimensions (mm):
RIBO: 225x220x225





RIBO P



268

290

	2
	11.66
	0.65 l
	120 min.
	0.32
	Ø 95

Finishing versions:




Color of the concrete base:



painted steel,
architectural concrete

Dimensions (mm):
RIBO P: 290x268x290

TANGO 1,2




Finishing versions:



Dimensions (mm):

TANGO/1: 200x328x200
TANGO/2: 250x353x250

TANGO 3,4



Finishing versions:



Dimensions (mm):

TANGO/3: 300x303x300
TANGO/4: 400x523x400

	TANGO 1	TANGO 2
	1.5	1.5
	4.3	5.2
	0.2 l	0.2 l
	50 min.	50 min.
	0.24	0.24
	ø 150	ø 150

	TANGO 3	TANGO 4
	1.5	1.5
	5.6	10.4
	0.2 l	0.2 l
	50 min.	50 min.
	0.24	0.24
	ø 150	ø 150

TOWER MINI



	2
	8.9
	0.65 l
	120 min.
	0.32
	ø 95

Finishing versions:



Dimensions (mm):
TOWER/MINI: 300x514x300

TOWER



	2
	11.66
	0.65 l
	120 min.
	0.32
	ø 95

Finishing versions:



Dimensions (mm):
TOWER: 300x963x300

ROMEO/TUV



	3.3
	19
	0.5 l
	60 min.
	0.52
	250


Finishing versions:



painting steel,
glass

Dimensions (mm):
ROMEO/TUV: 359x1135x209

ROMEO/S



	2.6
	22
	1.25 l
	180 min.
	0.41
	250

Finishing versions:



painting steel,
glass

Dimensions (mm):
ROMEO/S: 330x1137x330

ROMEO/S



ECHO/TUV



GALINA/TUV



ACCESSORIES

and personalization

Decorative elements

They are an excellent decoration for the unit and give it an individual character. Realistic ceramic logs faithfully imitate various types of wood, emphasizing the natural look of the fire. Decorative stones and stone bark create an elegant setting for the flame. Their structure and colors harmonize perfectly with the fire, enhancing the visual effect.



Fire Glass crystal



Decorative stones



Stone bark



Decorative logs




Decorative logs birch



Decorative logs mix



Decorative logs mix
VII




GLOW FLAME provides unforgettable visual effects and is an impressive addition to the hearth.


Even a small amount of the product is enough to give the unit a more attractive appearance.

BIO-DECO liquid


BIO-DECO liquid for use in bioethanol fireplaces – 95% bioethanol. A renewable fuel produced from plant biomass such as corn, wheat, sugar cane or sugar beets. The products of bioethanol combustion are: water vapor and carbon dioxide in amounts similar to the air exhaled by a human.




Bio Deco
Coffee




Bio Deco
Grapefruit



Bio Deco
Mulled Wine



Bio Deco
Romantic



Bio Deco
Sweet Fruits

Protective covers



Optional protective covers are available made of a special fabric that protect the device against weather conditions during storage. The cover is not part of the standard equipment and can be purchased separately.

Finish material



Finishing in a glass panel and quartz sinter is available for **PATIO** and **PATIO MINI** heaters.


Other heaters are available in a steel finish.

Quartz sinters



It is possible to order PATIO or PATIO MINI heaters in a different quartz sinter color. Please contact us.

Lacobel




Painted steel



*applies to the Patio SLC model

BIO-CONTAINERS

BIOPOJEMNIK/S, M



	BIOPOJEMNIK/S	BIOPOJEMNIK/M
kW	2.1	3.1
kg	2.47	4.06
l	1 l	2 l
min.	180 min.	240 min.




additional option with grate

Dimensions (mm):

BIOPOJEMNIK/S: 195x102x125
BIOPOJEMNIK/M: 345x89.5x126


AF/T/TUV



kW	0.82
kg	1
l	0.2 l
min.	50 min.

Dimensions (mm):
AF/T/TUV: 110x63x110

AF: P/V2, PD/V2



	AF/P/TUV/V2	AF/PD/TUV/V2
kW	3.3	4
kg	2.6	4
l	0.5 l	0.75 l
min.	60 min.	72 min.

Dimensions (mm):

AF/P/TUV/V2: 300x46.5x100
AF/PD/TUV/V2: 411x46.5x111


AF/PM/TUV



	1.5
	1.3
	0.2 l
	50 min.

Dimensions (mm):
AF/PM/TUV: 220x52x70


AF/PL/930



	4.5
	6
	1 l
	85 min.

Dimensions (mm):
AF/PL/930: 892.5x26x93.4


AF/SPARK/700



	4.5
	11.4
	0.75 l
	60 min.

Dimensions (mm):
AF/SPARK/700: 644x123x200


AF/FLAT/TUV



	2.7
	3
	0.4 l
	55 min.

Dimensions (mm):
AF/FLAT/TUV: 510x46x54

AF/R/190



	2
	2
	0.65 l
	120 min.

Dimensions (mm):
AF/R/190: 190x62x190



FIRE/BASKET

GARDEN



PRODUCT CATALOGUE

FIRE PITS

FIRE/ROTONDO



painted steel



11.35



GRATE

additional option with grate



616

330

FIRE/PYLOS



painted steel



12.77



419

1185

FIRE/BASKET



painted steel




14.4



550

500

FIRE/ERIZO



painted steel




FIRE/ERIZO/40/40: 27.1
 FIRE/ERIZO/50/50: 40.8
 FIRE/ERIZO/60/40: 40



Dimensions (mm):
 FIRE/ERIZO/40/40: 400x175x400
 FIRE/ERIZO/50/50: 500x175x500
 FIRE/ERIZO/60/40: 600x175x400

FIRE/GAMMA




painted steel



16



FIRE/GAMELA



painted steel



30





FIRE/CRATER




painted steel



12.7



FIRE/GOBLET



painted steel



30



FIRE/FUEGO/600




painted steel



7.57



FIRE/CAPSEL/600



painted steel



17.49



FIRE/BRASAS/600



painted steel



6.19



FIRE/CHISPA



200

228

620

painted steel




4.92



FIRE/CRATER/600

FIRE/HEX




painted steel




17.7



FIRE/PIT



GRATE



painted steel




18.3



additional option with grate



FIRE/PYRAMID




painted steel



16.8



FIRE/SUNNY




painted steel



10.5



FIRE/TRIANGLE




painted steel



10.1



QUADRUM



painted steel



43.2



QUADRUN/BBQ/H/B

GARDEN

PRODUCT CATALOGUE

GRILLE

QUADRUM / BBQ



478

774

painted steel



95.1



QUADRUM / BBQ / V



1154

774

WOODEN TOP



painted steel



138



QUADRUM / BBQ / H



1154

1060

774

WOODEN TOP



painted steel



195.8





Marek Bal
Gombrowicza 4, Wsola, 26-660 Jedlińsk, Poland
www.kratki.com

www.facebook.com/kratkipl
www.youtube.com/kratkipl
www.instagram.com/kratkipl